



INT200

STEER/ALL-POSITION

The interstate INT200 is a steer/all-position tire with deep original tread depth suitable for pick-up and delivery trucks. It utilizes a solid shoulder to increase durability in "high-scrub" conditions and is steel belted for strength and toughness.

Features & Benefits

- Wide, solid shoulders for increased durability and even wear
- Steel belted for additional strength and toughness
- Large circumferential grooves for water evacuation
- Ideal choice for cost-conscious truck drivers
- Retread reliability
- Low fuel consumption

Applications

- Pick-Up and Delivery Trucks
- Regional Trucks
- Regional Trailers
- Low Platform Trailers
- Tow Trucks
- Public Passenger Bus



| Product Code | Tire Size | LR/PR | Type | Service Description | Rim (inch) | Tread Depth (mm) | Tread Depth (32nds) | Overall Diameter (mm) | Overall Diameter (inch) | Section Width (mm) | Section Width (inch) | Max Load Single/Dual (lbs) | PSI Single/Dual | Weight (kg) | Weight (lbs) |
|--------------|-------------|-------|------|---------------------|------------|------------------|---------------------|-----------------------|-------------------------|--------------------|----------------------|----------------------------|-----------------|-------------|--------------|
| 20001 | 7.00R16 | G/14 | TT | 118/114L | 5.50 | 11.5 | 15 | 779 | 30.7 | 200 | 7.9 | 2910/2600 | 110 | 24.67 | 54.28 |
| 20002 | 9.5R17.5 | J/18 | TL | 143/141M | 6.75 | 13.5 | 17 | 842 | 33.1 | 240 | 9.4 | 6005/5675 | 125 | 33.04 | 72.78 |
| 20003 | 11R22.5 | H/16 | TL | 148/145M | 8.25 | 15.0 | 19 | 1054 | 41.5 | 279 | 11.0 | 6944/6393 | 120 | 53.83 | 118.57 |
| 20004 | 215/75R17.5 | H/16 | TL | 135/133J | 6.00 | 13.0 | 16 | 767 | 30.2 | 211 | 8.3 | 4805/4540 | 125 | 25.63 | 56.45 |
| 20006 | 255/70R22.5 | H/16 | TL | 140/137M | 7.50 | 14.5 | 18 | 930 | 36.6 | 255 | 10.0 | 5510/5070 | 120 | 41.91 | 92.31 |
| 20007 | 295/80R22.5 | J/18 | TL | 152/149M | 9.00 | 15.0 | 19 | 1044 | 41.1 | 298 | 11.7 | 7830/7160 | 130 | 54.85 | 120.81 |

